

Application Number

IDS Flag Clearance for Application



Content	Mailroom Date	Entry Number	IDS Review	Reviewer
<input type="button" value="UPDATE"/>				

LAST - [LAST_Text_Search.pts.pts.wsp:1]

File View Edit Tools Window Help

Active

- L1: (431) backlightS3 and (CCFL or (cold adj cathod
- L3: (123) 2 and contact
- L5: (65) 4 and plugS4
- L4: (95) 3 and groundS3
- L6: (4172) (feedback near3 structure)
- L7: (2) 6 and backlightS3 and (CCFL or (cold adj cat
- L8: (48) 6 and backlightS3
- L10: (589) (feedback near3 (circuit or structure)) and
- L11: (340) 10 and (substrate or board)
- L12: (214) 11 and contact
- L22: (135) backlightS3 and (CCFL or (cold adj catho
- L2: (220) 1 and (substrate or board)

Failed

Saved

Favorites

Tagged (0)

UDC

Queue

Trash

Search List Browse Queue Clear

DBs US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

Default operator: OR

Plurals

Highlight all hit terms initially

BRS form IS&R form Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er	Erro
1	BRS	L1	431	backlightS3 and (CCFL or (cold adj cathode)) and drivS3 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 12:52			
2	BRS	L3	123	2 and contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 12:01			
3	BRS	L5	65	4 and plugS4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 12:01			
4	BRS	L4	95	3 and groundS3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 11:20			
5	BRS	L6	4172	(feedback near3 structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 11:59			
6	BRS	L7	2	6 and backlightS3 and (CCFL or (cold adj cathode)) and drivS3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 11:38			
7	BRS	L8	48	6 and backlightS3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 11:58			
8	BRS	L10	589	(feedback near3 (circuit or structure)) and backdiS6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 12:00			
9	BRS	L11	340	10 and (substrate or board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 12:01			
10	BRS	L12	214	11 and contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 12:44			
11	BRS	L22	135	backlightS3 and (CCFL or (cold adj cathode)) and (feedback near2 (circuit or structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 13:03			
12	BRS	L2	220	1 and (substrate or board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/19 14:51			

☒ Highlight all hit terms initially

1. The first step in the process of identifying a problem is to recognize that a problem exists. This is often done by comparing current performance with a desired state or goal. If there is a discrepancy, a problem is identified. For example, if a company's sales are declining, this indicates a problem that needs to be addressed.

2. Once a problem is identified, the next step is to define the problem more precisely. This involves determining the scope of the problem, the resources available, and the constraints that may be affecting the problem. For example, if a company's sales are declining, it is important to determine whether the problem is due to a lack of marketing, a change in customer preferences, or a competitive advantage held by a rival company.

3. The third step in the process is to generate potential solutions. This is often done by brainstorming or using a structured problem-solving technique such as the 5 Whys. The goal is to identify a range of possible solutions that could address the problem.

4. The fourth step is to evaluate the potential solutions. This involves assessing the feasibility, effectiveness, and cost of each solution. For example, if a company is considering a new marketing campaign, it is important to evaluate whether the campaign is likely to reach the target audience, whether it is likely to be effective, and whether it is within the company's budget.

5. The final step in the process is to implement the chosen solution. This involves putting the solution into action and monitoring its progress. For example, if a company has chosen a new marketing campaign, it is important to implement the campaign and track its performance over time.

 [BBS form](#)
 [IS&R form](#)
 [Image](#)
 [Text](#)
 [HTML](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er	Erro
1	BRS	L2	39	1 and stand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:55			
2	BRS	L3	4	LCD and backlight\$3 and ((common adj ground) same stand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 15:10			
3	BRS	L1	149	LCD and backlight\$3 and (common adj ground)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 15:20			
4	BRS	L4	229	LCD and backlight\$3 and CCFL and (ground\$3 same connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 15:21			
5	BRS	L5	131	4 and (substrate or PCB or board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 16:14			